

Raindance Select E

Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm

Surfaces: **Chrome** Article Number: **27038000**



Description

product features

- consists of: hand shower, shower thermostat, shower bar, slider, soap dish
- shower head size: 120 mm
- convenient diversion via Select button
- spray type hand shower: Rain, RainAir, Whirl
- maximum flow rate at 3 bar: 15 l/min
- minimum flow pressure: 1 bar
- profile stand pipe: round
- shower bar diameter: 22 mm
- pivot connector prevent hose from tangling
- 90° position adjustable hand shower holder, pivots left and right, up and down
- in case of installation on existing G 3/4 connections, adaptor no.02026000 must be used
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer


Technology



Product image



Scale drawing




Raindance Select E

Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm

Surfaces: **Chrome** Article Number: **27038000**



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.


Raindance Select E

Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm

Surfaces: **Chrome** Article Number: **27038000**



Installation examples



Raindance Select E


Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm

Surfaces: **Chrome** Article Number: **27038000**



Exploded Drawing

Year of production: **>06/13**



Raindance Select E

Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm

Surfaces: **Chrome** Article Number: **27038000**



Spare part list

Year of production: >06/13

Pos.	Description	Article Number	Price	PU
1	Thermostat	13161000	-	1
2	Shower Set	26622000	-	1